Expiration Date: 02/28/2022

Substance Abuse and Mental Health Services Administration (SAMHSA)

Center for Substance Abuse Treatment (CSAT)

Government Performance and Results Act (GPRA) Client Outcome Measures for Discretionary Programs

State Opioid Response (SOR) Grant

6-MONTH FOLLOW-UP

SAMHSA's Performance Accountability and Reporting System (SPARS)

March 2019

Public reporting burden for this collection of information is estimated to average 36 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information, if all items are asked of a client/participant; to the extent that providers already obtain much of this information as part of their ongoing client/participant intake or follow-up, less time will be required. Send comments regarding this burden estimate, or any other aspect of this collection of information, to the Substance Abuse and Mental Health Services Administration (SAMHSA) Reports Clearance Officer, Room 15E21B, 5600 Fishers Lane, Rockville, MD 20857. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid Office of Management and Budget (OMB) control number. The control number for this project is 0930-0208.

A. RECORD MANAGEMENT

<u>Grant</u>	0	SOR	C	S	OR 2
Tracking Information: Gra	ante	e, Agency, Program	, & Staff		
PIHP or Grantee					
Agency					
Program					
If a recovery house, address:					
Staff Name					
Staff Email			@		
Client Information					
Client ID					
Client Type	C	Treatment client		0	Client in recovery
Contract/Grant ID					
Interview Type	6-1	nonth follow-up	0	Yes	
Interview Date		/_ Month Day		Yea	

A. BEHAVIORAL HEALTH DIAGNOSES

Please indicate the client's current behavioral health diagnoses using the International Classification of Diseases, 10th revision, Clinical Modification (ICD-10-CM) codes listed below. Please note that some substance use disorder ICD-10-CM codes have been crosswalked to the *Diagnostic and Statistical Manual of Mental Disorders*, *Fifth Edition* (DSM-5), descriptors.

Select <u>up to three</u> diagnoses. For each diagnosis, indicate if it is primary, secondary, or tertiary, if known. *Note. There can only be <u>one of each type of diagnosis</u> (primary, secondary, tertiary).*

If the diagnosis is unknown or if none of the answers apply, scroll to the bottom of this section and select this response. Then move to the next section.

Behavioral Health Diagnoses	Diagnosed?	Primary	Secondary	Tertiary
SUBSTANCE USE DISOR	DER DIAGNO	<u>SES</u>		
<u>Alcohol-related disorders</u>				
F10.10 – Alcohol use disorder, uncomplicated, mild	0	0	0	Ο
F10.11 – Alcohol use disorder, mild, in remission	0	0	Ο	0
F10.20 – Alcohol use disorder, uncomplicated, moderate/severe	Ο	Ο	0	Ο
F10.21 – Alcohol use disorder, moderate/severe, in remission	Ο	Ο	Ο	0
F10.9 – Alcohol use, unspecified	Ο	0	0	0
Opioid-related disorders				
F11.10 – Opioid use disorder, uncomplicated, mild	Ο	Ο	0	0
F11.11 – Opioid use disorder, mild, in remission	Ο	Ο	0	0
F11.20 – Opioid use disorder, uncomplicated, moderate/severe	Ο	Ο	0	0
F11.21 – Opioid use disorder, moderate/severe, in remission	Ο	Ο	0	0
F11.9 – Opioid use, unspecified	0	0	Ο	Ο

Behavioral Health Diagnoses	Diagnosed?	Primary	Secondary	Tertiary
Cannabis-related disorders				
F12.10 – Cannabis use disorder, uncomplicated, mild	Ο	0	Ο	Ο
F12.11 – Cannabis use disorder, mild, in remission	0	Ο	Ο	Ο
F12.20 – Cannabis use disorder, uncomplicated, moderate/severe	0	0	0	Ο
F12.21 – Cannabis use disorder, moderate/severe, in remission	Ο	Ο	Ο	0
F12.9 – Cannabis use, unspecified	0	0	Ο	0
Sedative-, hypnotic-, or anxiolytic-related disorders				
F13.10 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, mild	0	0	0	0
F13.11 – Sedative, hypnotic, or anxiolytic use disorder, mild, in remission	0	0	0	0
F13.20 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, moderate/severe	Ο	0	0	0
F13.21 – Sedative, hypnotic, or anxiolytic use disorder, moderate/severe, in remission	Ο	Ο	Ο	Ο
F13.9 – Sedative, hypnotic, or anxiolytic use, unspecified	Ο	Ο	Ο	Ο
Cocaine-related disorders				
F14.10 – Cocaine use disorder, uncomplicated, mild	0	0	0	0
F14.11 – Cocaine use disorder, mild, in remission	0	0	0	0
F14.20 – Cocaine use disorder, uncomplicated, moderate/severe	Ο	Ο	0	Ο
F14.21 – Cocaine use disorder, moderate/severe, in remission	Ο	Ο	0	Ο
F14.9 – Cocaine use, unspecified	0	0	Ο	0

Behavioral Health Diagnoses	Diagnosed?	Primary	Secondary	Tertiary
Other stimulant-related disorders				
F15.10 – Other stimulant use disorder, uncomplicated, mild	0	Ο	Ο	0
F15.11 – Other stimulant use disorder, mild, in remission	0	Ο	Ο	0
F15.20 – Other stimulant use disorder, uncomplicated, moderate/severe	0	Ο	Ο	0
F15.21 – Other stimulant use disorder, moderate/severe, in remission	0	0	0	0
F15.9 – Other stimulant use, unspecified	0	0	Ο	0
Hallucinogenic-related disorders				
F16.10 – Hallucinogen use disorder, uncomplicated, mild	0	0	0	0
F16.11 – Hallucinogen use disorder, mild, in remission	0	0	0	0
F16.20 – Hallucinogen use disorder, uncomplicated, moderate/severe	0	0	0	0
F16.21 – Hallucinogen use disorder moderate/severe, in remission	0	0	0	0
F16.9 – Hallucinogen use, unspecified	0	0	0	0
Inhalant-related disorders				
F18.10 – Inhalant use disorder, uncomplicated, mild	0	0	0	0
F18.11 – Inhalant use disorder, mild, in remission	0	Ο	0	0
F18.20 – Inhalant use disorder, uncomplicated, moderate/severe	0	Ο	0	0
F18.21 – Inhalant use disorder, moderate/severe, in remission	0	0	0	0
F18.9 – Inhalant use, unspecified	Ο	0	0	0

Behavioral Health Diagnoses	Diagnosed?	Primary	Secondary	Tertiary
Other psychoactive substance-related disorders				
F19.10 – Other psychoactive substance use disorder, uncomplicated, mild	Ο	Ο	Ο	0
F19.11 – Other psychoactive substance use disorder, in remission	0	Ο	Ο	0
F19.20 – Other psychoactive substance use disorder, uncomplicated, moderate/severe	0	0	Ο	0
F19.21 – Other psychoactive substance use disorder, moderate/severe, in remission	0	Ο	Ο	0
F19.9 – Other psychoactive substance use, unspecified	0	Ο	Ο	0
Nicotine dependence				
F17.20 – Tobacco use disorder, mild/moderate/severe	Ο	0	0	0
F17.21 – Tobacco use disorder, mild/moderate/severe, in remission	O	Ο	Ο	0
MENTAL HEALTH	<u>DIAGNOSES</u>			
F20 – Schizophrenia	0	Ο	0	0
F21 – Schizotypal disorder	0	Ο	0	Ο
F22 – Delusional disorder	0	0	Ο	0
F23 – Brief psychotic disorder	0	0	Ο	0
F24 – Shared psychotic disorder	0	Ο	Ο	0
F25 – Schizoaffective disorders	O	Ο	Ο	0
F28 – Other psychotic disorder not due to a substance or known physiological condition	Ο	Ο	Ο	0
F29 – Unspecified psychosis not due to a substance or known physiological condition	0	Ο	0	Ο

 $\underline{\mathsf{SAMHSA}-\mathsf{CSAT}-\mathsf{GPRA}-6\,\mathsf{MONTH}\,\mathsf{FOLLOW}\text{-}\mathsf{UP}}$

Behavioral Health Diagnoses	Diagnosed?	Primary	Secondary	Tertiary
F30 – Manic episode	0	0	0	0
F31 – Bipolar disorder	0	Ο	0	Ο
F32 – Major depressive disorder, single episode	0	Ο	Ο	Ο
F33 – Major depressive disorder, recurrent	0	Ο	Ο	0
F34 – Persistent mood [affective] disorders	0	Ο	Ο	0
F39 – Unspecified mood [affective] disorder	0	Ο	Ο	0
F40–F48 – Anxiety, dissociative, stress-related, somatoform, and other nonpsychotic mental disorders	0	Ο	Ο	0
F50 – Eating disorders	0	Ο	Ο	Ο
F51 – Sleep disorders not due to a substance or known physiological condition	0	Ο	Ο	0
F60.2 – Antisocial personality disorder	Ο	Ο	Ο	0
F60.3 – Borderline personality disorder	Ο	Ο	Ο	0
F60.0, F60.1, F60.4–F69 – Other personality disorders	0	Ο	Ο	0
F70–F79 – Intellectual disabilities	0	Ο	Ο	Ο
F80–F89 – Pervasive and specific developmental disorders	Ο	Ο	Ο	0
F90 – Attention-deficit hyperactivity disorders	Ο	Ο	Ο	0
F91 – Conduct disorders	Ο	Ο	Ο	0
F93 – Emotional disorders with onset specific to childhood	Ο	Ο	0	0
F94 – Disorders of social functioning with onset specific to childhood or adolescence	0	Ο	0	Ο

ς	A	MHS	A - C	SAT -	GPR A	– 6 MON	HTV	FOI	Ι.	Ω	J_I	П	F

	Behavioral Heal	lth Diagnose	s	Diagnosed?	Primary	Secondary	Tertiary				
F95 -	– Tic disorder			0	0	0	0				
F98 -	Other behavioral and emot usually occurring in ch			0	0	Ο	0				
F99 -	– Unspecified mental disord	er		0	Ο	Ο	0				
If you	If you do not know or none of the answers apply, select this below and move to the next section.										
0	Don't know	O No	ne of the answers	apply							
	BEHAVIORAL HEALTH DIAGNOSES (CONTINUED) 1. In the past 30 days, was this client diagnosed with an opioid use disorder?										
0	Yes	O No			O Don'	t know					
cli Ci	n the <u>past 30 days</u> , which ient receive for the treat heck all that apply.		opioid use disor	der?		ed medicatio	n did the				
O	Methadone received		If received, spe	cify how many d	lays:		-				
0	Buprenorphine received		If received, spe	ecify how many c	lays:		-				
0	Naltrexone received		If received, spe	ecify how many d	lays:						
0	Extended-release naltrexon	ne received	If received, spe	ecify how many c	lays:						
0	Client was diagnosed with opioid use disorder	an opioid us	e disorder, but did	not receive an F	DA-approve	d medication f	or an				
0	Client was not diagnosed for an opioid use disorded	-	oid use disorder	and did not rece	ive an FDA	-approved me	edication				
Ο	Don't know										
2. In	n the <u>past 30 days</u> , was th	nis client dia	agnosed with an	alcohol use di	sorder?						
0	Yes	O No			O Don'	t know					

a.	In the past 30 days, which U.S. Food and Drug Administration (FDA)-approved medication did the
	client receive for the treatment of an alcohol use disorder?
	Check all that apply.

0	Naltrexone received	If received, specify how many days:	
0	Extended-release naltrexone received	If received, specify how many days:	
0	Disulfiram received	If received, specify how many days:	
0	Acamprosate received	If received, specify how many days:	
0	Client was diagnosed with an alcohol use alcohol use disorder	disorder, but did not receive an FDA-appro	ved medication for an
0	Client was not diagnosed with an alcohol alcohol use disorder	use disorder and did not receive an DFA-ap	proved medication for an
0	Don't know		

B. DRUG AND ALCOHOL USE

1. During the past 30 days, how many days has the client used the following?

Substance	Number of Days	Refused	Don't Know
Any alcohol (IF 0, SKIP THE NEXT TWO QUESTIONS)		0	Ο
Alcohol to intoxication (5+ drinks in one setting)		0	0
Alcohol to intoxication (4 or fewer drinks in one sitting and felt high)	· 	0	0
Illegal drugs (IF ALCOHOL OR ILLEGAL DRUGS ARE 0, SKIP TO QUESTION 2)		0	Ο
Both alcohol and drugs (on the same day)		0	0

2. During the past 30 days...

- ...on how many days did the client use each of the following substances?
- ...what route of administration did the client use for each of the following substances?

Select the <u>usual</u> route of administration. If there is more than one, list the most severe route. In order by least to most severe: (1) oral, (2) nasal, (3) smoking, (4) non-IV injection, and (5) IV.

	Use in Past 30 Days			Route of Administration						
Substance	Days of Use	Refused	Don't Know	Oral	Nasal	Smoking	Non-IV Injection	I V	Refused	Don't Know
Cocaine/Crack		0	0	0	0	0	0	0	0	0
Marijuana/Hashish (Pot, Joints, Blunts, Chronic, Weed, Mary Jane)		Ο	0	0	0	0	0	0	0	0
Heroin (Smack, H, Junk, Skag)		Ο	0	0	0	0	0	0	0	Ο
Morphine		0	0	0	0	0	0	0	0	0
Dilaudid		0	0	0	0	0	0	0	0	Ο
Demerol		0	0	Ο	Ο	Ο	0	0	0	0
Percocet		0	0	Ο	Ο	Ο	0	0	0	0
Darvon		0	0	Ο	Ο	Ο	Ο	0	0	0
Codeine		0	0	0	0	Ο	Ο	0	Ο	0
Tylenol 2, 3, 4		0	0	Ο	Ο	Ο	Ο	0	0	0
OxyContin/Oxycodone		0	0	0	0	Ο	Ο	0	Ο	0
Non-Prescription Methadone		0	0	0	0	Ο	Ο	0	Ο	0
Hallucinogens/Psychedel ics, PCP (Angel Dust, Ozone, Wack, Rocket Fuel), MDMA (Ecstasy, XTC, X, Adam), LSD (Acid, Boomers, Yellow Sunshine), Mushrooms, or Mescaline		Ο	0	0	0	0	0	0	0	0
Methamphetamines or Other Amphetamines (Meth, Uppers, Speed, Ice, Chalk, Crystal, Glass, Fire, Crank)		Ο	0	0	0	0	0	0	0	0

SAMHSA - CSAT - GPRA - 6 MONTH FOLLOW-UP Use in Past 30 Days **Route of Administration Substance** Non-IV Don't Don't Days of Use Refused Oral Nasal **Smoking** Refused Know Injection Know Benzodiazepines: Diazepam (Valium) Alprazolam (Xanax) 0 0 O 0 0 0 O 0 0 Traizolam (Halcion) or Estasolam (Prosom and Rohypnol, Roofies, Rocke, Cope) Barbiturates: Mephobarbital (Mebacut) 0 0 0 O 0 0 0 0 0 or Pentobarbital Sodium (Nembutal) Non-Prescription GHB 0 0 0 0 0 O 0 0 0 (Grievous Bodily Harm, Liquid Ecstasy, Georgian Home Boy) Ketamine 0 0 0 0 0 0 0 0 \mathbf{O} (Special K, Vitamin K) Other Tranquilizers, 0 Downers, Sedatives, or O 0 0 0 O O O 0 **Hypnotics** Inhalants 0 0 0 0 0 0 O 0 0 (Poppers, Snappers, Rush, Whippets) Other Illegal Drugs, 0 0 0 0 0 0 O 0 0 specify: 3. In the past 30 days, has the client injected drugs? 0 No [SKIP TO C.] 0 Refused [SKIP TO C.] 0 Don't know [SKIP TO C.] Yes 4. In the past 30 days, how often did the client use a syringe/needle, cooker, cotton, or water that someone else used? Half the time More than half the time Less than half the time Never Always

Refused

O

Don't know

C. FAMILY AND LIVING CONDITIONS

		ast 30 days T READ R							of the time?			
	0	Shelter (sat day or ever				ıl living	g center, lov	w-dem	and facilities, re	eception cer	nters, o	other temporary
	Ο	Street/Outo	loors	(sidewa	alk, door	way, p	oark, public	or aba	andoned building	g)		
	0	Institution	(hosp	ital, nu	rsing ho	me, jai	l/prison)					
	0	Housed: Own/rent apartment, room, or house										
	0	Housed: Someone else's apartment, room, or house										
	0	Housed: Dormitory/college residence										
	0	Housed: Halfway house										
	0	Housed: Re	esider	ntial tre	atment							
	0	Housed: Other, specify:										
	0	Refused										
	0	Don't know										
2. 1	How sat	isfied is the	e clie	ent wit	h the co	onditi						
0	Very d	issatisfied	0	Dissat	isfied	0	Neither sa dissatisfie		l nor O	Satisfied	0	Very satisfied
0	Refuse	d	0	Don't	know							
	During other di		days	<u>s</u> , how	stressf	ul hav	ve things b	een f	or the client b	ecause of	their	use of alcohol or
0	Not at	all		0	Somew	hat		0	Considerably		0	Extremely
0	Refuse	d		0	Don't k	know		0	Not Applicab	` •		nt did not used ast 30 days)

4.	_	past 30 days, how ortant activities?	has the clien	t's use of alcoh	ol or other drug	s caused the	m to reduce or
0	Not at all	0	Somewhat	0	Considerably	0	Extremely
0	Refused	0	Don't know	0	Not Applicable alcohol or illegal		nt did not used ast 30 days)
5.	During the emotional p	past 30 days, how problems?	has the clien	t's use of alcoh	ol or other drug	s caused the	m to have
0	Not at all	0	Somewhat	0	Considerably	0	Extremely
0	Refused	0	Don't know	0	Not Applicable alcohol or illegal		nt did not used ast 30 days)
6.	Is the client	currently pregna	int?				
0	Yes	C	No	Ο	Refused	Ο	Don't know
0	Not applica	able, client is male					
7.	Does the cli	ent have children	?				
0	Yes	O No [SKIP TO I	D.J O	Refused [SKII	P TO D.]	Don't know	[SKIP TO D.]
a.	How many	children does the	client have?				
0	Refused		O	Don't know			
b.	Are any of t	the client's childre	en living with	someone else o	due to a child pro	otection cou	rt order?
0	Yes	O No [SKIP TO a	<i>i.</i>]	Refused [SKII	P TO d.]	Don't know	[SKIP TO d.]
c.	How many	of the client's chil	dren are livir	ng with someon	ne else due to a cl	nild protecti	on court order?
0	Refused		O 1	Oon't know			

d. H	las the client lost parenta	al rights f	or any of the	eir children?	If so, how	many?	
0	Refused		O Don't	know			
D.	EDUCATION, EMP	LOYM	ENT, ANI) INCOME	1		
	s the client currently enre f the client is incarcerated		•	O 1	ogram?		
0	Not Enrolled	0	Enrolled, Fu	ll Time	0	Enrolled, Part Time	
0	Other, specify:	0	Refused		0	Don't know	
2. V	Vhat is the highest level o Never Attended	of educati	on the clien	t has finished 11 th Grade	, whether o	or not they received a degree?	
0	1 st Grade		0	12th Grade/Hi	gh School D	piploma or Equivalent	
0	2 nd Grade		0	College or University/1st Year Completed			
0	3 rd Grade		0	College or University/2 nd Year Completed/Associate Deg			
0	4 th Grade		0	College or Un	niversity/3 rd	Year Completed	
0	5 th Grade		0	Bachelors' De	egree or Hig	her	
0	O 6 th Grade			Vocational/Technical Program after High School but no Vocational/Technical Diploma Received			
0	O 7 th Grade			Vocational/Technical Diploma after High School			
0	8 th Grade		0	Refused			
0	9th Grade	0	Don't know				

3. Is the client currently employed? (Focus on the previous week).

If the client is incarcerated and has no work outside of jail, indicate unemployed, not looking for work.

	Employed		Not Employed	Other		
0	Employed, Full Time (35+ hours per week, or would have been)	0	Unemployed, Looking for Work	0	Other, specify:	
0	O Employed, Part-Time		Unemployed, Disabled		Refused	
		0	Unemployed, Volunteer Work	0	Don't know	
		0	Unemployed, Retired			
		0	Unemployed, Not Looking for Work			

4. Approximately how much money did <u>the client</u> receive (pre-tax individual income, not household) in the <u>past 30 days</u>, from...

Money Source	Money Made in Past 30 Days	Refused	Don't Know						
Wages	\$	0	0						
Public Assistance	\$	0	Ο						
Retirement	\$	0	Ο						
Disability	\$	0	Ο						
Non-Legal Income	\$	0	Ο						
Family and/or Friends	\$	Ο	Ο						
Other, specify:	\$	0	O						
5. Does the client have enough money to meet their needs?									
O Not at all O A little O Moderately	O Mostly	O Co	mpletely						
O Refused O Don't know									

Excellent

Refused

O Very Good

O Don't know

E.	C. CRIME AND CRIMINAL JUSTICE STATUS								
	n the <u>past 30 days</u> , how n f the response is 0, skip to 3.		times has	the client been	arrested?				
0	Refused		0	Don't know					
2. I	n the <u>past 30 days</u> , how n	nany 1	times has	the client been	arrested for dru	g-related offe	enses?		
0	Refused		Ο	Don't know					
3. I	. In the <u>past 30 days</u> , how many nights has the client spent in jail or prison?								
0	Refused		0	Don't know					
	In the past 30 days, how many times has the client committed a crime? This should include use of illegal drugs.								
0	Refused		Ο	Don't know					
5. I	s the client currently awa	niting	charges,	trial, or senten	cing?				
0	Yes	0	No	0	Refused	0	Don't know		
6. I	s the client currently on p	parole	or prob	ation?					
0	Yes	0	No	0	Refused	Ο	Don't know		
F.	T. MENTAL AND PHYSICAL HEALTH PROBLEMS AND TREATMENT/RECOVERY								
1. F	How would the client rate their overall health right now?								

Good

O Fair

O Poor

2. During the past 30 days, did the client receive...

Ye	es I	No	Reason for Treatmen	t	Number of	f Nights	s Refused	Don't Know	
			Inpat	ient Trea	tment for				
C) (0	Physical Complaint				Ο	0	
С)	0	Mental or Emotional Difficulti	es			Ο	0	
С)	0	Alcohol or Substance Abuse				Ο	0	
Ye	es I	No	Reason for Treatmen	t	Number o	f Times	s Refused	Don't Know	
	Outpatient Treatment for								
C) (0	Physical Complaint				Ο	0	
С)	0	Mental or Emotional Difficulti	les			Ο	0	
С)	0	Alcohol or Substance Abuse				Ο	0	
Ye	es I	No	Reason for Treatmen	t	Number o	f Times	s Refused	Don't Know	
			Emergenc	y Room	<u>Γreatment for</u>				
C) (0	Physical Complaint				Ο	0	
С)	0	Mental or Emotional Difficulti	es			Ο	0	
С) (0	Alcohol or Substance Abuse				Ο	0	
3. Г	Ouring t	he <u>pa</u>	st 30 days, did the client eng	gage in so	exual activity?				
0	Yes		Ο	No [SKI	P TO 4]				
\circ	Not Perr	mitted	to Ask [SKIP TO 4]	Refused	ISKIP TO 41	\circ	Don't know [SKI	P TO 41	

a. Altogether, how many of the following did the client have?

		Type of Sexual Contac	et	Number of Contacts	Refused	Don't Know
Sex	cual contacts	raginal, oral, or anal)			Ο	Ο
Unj	protected sex	al contacts (vaginal, oral, or a	nal)		Ο	Ο
	with an ind	vidual who is or was HIV pos	itive or had AIDS		Ο	0
	with an ind	vidual who is or was an inject	ion drug user		Ο	Ο
	with an ind	vidual who is or was high on	some substance		0	Ο
4.]	Has the clie	t ever been tested for HIV	7?			
0	Yes	O No [SKIP TO 5]	O Refused [SKIP	TO 5] O	Don't know [SKIP TO 5]
	a. Does	the client know the results	s of the HIV testing?			
	0	Yes	O No			
5.]	How would	he client rate their quality	y of life?			
0	Very poor	O Poor	O Neither poor nor good	d O Good	O Ve	ry good
0	Refused	O Don't know				
6.]	Does the clic	nt have enough energy for	everyday life?			
0	Not at all	O A little	O Moderately	O Mostly	O Co	mpletely
0	Refused	O Don't know				

How satisfied is the client with...

	Very Dissatisfied	Dissatisfied	Neither dissatisfied or satisfied	Satisfied	Very satisfied	Refused	Don't Know
(7)their health?	0	0	0	0	0	Ο	Ο
(8)their ability to perform daily activities?	0	Ο	0	0	0	0	0
(9)themselves?	0	0	Ο	0	0	0	0

10. In the <u>past 30 days</u>, not due to use of alcohol or drugs, how many days has the client: If the client reports 0 for EVERY item, skip to F.

	Number of Days	Refused	Don't Know
Experienced serious depression		0	0
Experienced serious anxiety or tension		0	Ο
Experienced hallucinations		0	0
Experienced trouble understanding, concentrating, or remembering		0	0
Experienced trouble controlling violent behavior		0	Ο
Attempted suicide		0	Ο
Been prescribed medication for psychological/emotional problem		0	Ο
 11. In the past 30 days, how much has the client been bothered by problems? O Not at all O Slightly O Moderately O Refused O Don't know 	O Considerably		i onal tremely
F. VIOLENCE AND TRAUMA 12. Has the client ever experienced violence or trauma in any se violence; domestic violence; physical, psychological, or sexua of the family; natural disaster; terrorism; neglect; or trauma	al maltreatment/ass	•	
O Yes O No [SKIP TO 13] O Refused [SKIP 7	TO 13] O Don	n't know <i>[SK</i>	IP TO 13]

a.	Did any of these experiences feel so frightening, horrible, or upsetting that, in the past and/or present,
	the client:

Yes	No	Experience	Refused	Don't Know			
0	0	Had nightmares about it or thought about it when they did not want to	0	Ο			
Ο	0	Tried hard not to think about it or went out of their way to avoid situations that reminded them of it	0	0			
Ο	0	Was constantly on guard, watchful, or easily startled	0	0			
Ο	0	Felt numb and detached from others, activities, or their surroundings	0	0			
13. In the past 30 days, how often has the client been hit, kicked, slapped, or otherwise physically hurt?							
O Nev	er	O A few times O More	than a few	times			

Don't know

G. SOCIAL CONNECTEDNESS

O Refused

In the past 30 days, did the client attend:

Yes	No	Reason for Treatment	Number of Times	Refused	Don't Know
0	0	(1) Any voluntary self-help groups for recovery that were not affiliated with a religious or faith-based organization (such as Alcoholics or Narcotics Anonymous, Oxford House, Secular Organization for Sobriety, or Women for Sobriety, etc.)		0	Ο
0	0	(2) Any religious/faith affiliated recovery self-help groups		0	0
Ο	0	(3) Meetings of organization that support recovery other than the organizations described above		0	Ο

	In the past 30 days their recovery?	, dic	d the cli	ent ha	ve inte	ractions	with	family and	l/or friends t	hat we	re supportive of
0	Yes		0	No		(С	Refused		0	Don't know
	Γο whom does the Select only one resp			when	they ar	e having	trou	ble?			
0	No one										
0	O Clergy Member			O Family Mer		Member	ber O Friends				
0	Other, specify:			0	Refuse	ed		0	Don't know		
6. 1 O	How satisfied is the	e cli	ent with Dissatis		person O	Neither	satisfi	ad non	O Satisfied	0	Very satisfied
_	•	_			O	dissatisf	ied		Sansiled	O	very satisfied
O	Refused	O	Don't k	inow							
	PROGRAM-S lease indicate the of the control of the	legr ent in reatm gree	ee to when a nonre	nich ye	ou agre	e or disa			G		
ł	O) As a result of trea O Strongly disa O Disagree O Undecided O Agree O Strongly agre O REFUSED O DON'T KNO	gree	nt, I feel	I now ł	nave the	skills and	suppo	ort to balanc	e parenting an	d manag	ging my recovery.

I. FOLLOW-UP STATUS

1. What is the follow-up status of the client?							
0	01: Deceased at time of due date	0	23: Located, but otherwise unable to gain access				
Ο	11: Completed interview within specified window	0	24: Located, but withdrawn from project				
Ο	12: Completed interview outside specific window	0	31: Unable to locate, moved				
Ο	21: Located, but refused, unspecified	0	32: Unable to locate, other specify:				
Ο	22: Located, but unable to gain institutional access						
2. Is	the client still receiving services from <u>your pro</u>						
0	Yes O No						

[STOP NOW; THE INTERVIEW IS COMPLETE.]